

Township of Chatsworth



Entrance Permit

All entrances must be constructed by the owner at his/her cost and shall be installed to the following specifications:

All contractors working on Township property must provide proof of the minimum insurance and WSIB Certificate of clearance prior to any work being done. (for more details contact the Township office)

Entrance Culvert:

- **new** steel or PVC culverts only
- minimum culvert size shall be a minimum 15” (380 mm) diameter and 30’ (9 m) in length
- couplers shall be a 5 corrugation bolt up coupler
- **no sheet metal, dimple type couplers will be allowed**

Backfilling:

- granular “A” gravel shall be used around the culvert and for the top surface of the entrance
- leave 2’ – 3’ of culvert exposed at each end with a 2:1 back slope
- 12 inch (300 mm) of fill over the top of culvert (minimum)
- must be installed to warrant the drainage flow, with proper fall to suit the existing ditching
- must be level with the road to the property line
- stakes marking the proposed location must be installed prior to requesting a site visit and survey stakes identified.
- It is the property owner’s responsibility to install, maintain and repair the culvert, making sure water can travel through the culvert at all times.

Size of culvert may vary due to drainage requirements. A variation in culvert size maybe requested by the Township following a site review. For additional information or to arrange an on-site meeting, please call the Township of Chatsworth Roads Department at 519-794-3232 Ext. 828



This permit is issued to:

Permit #

NAME: _____

ADDRESS: _____

EMAIL: _____

PHONE: _____

FOR AN ENTRANCE FROM:

LOT: _____ CONCESSION: _____ TOWNSHIP OF CHATSWORTH

EXPIRY DATE: _____

APPROVED MATERIAL: _____

APPROVED LENGTH OF PIPE OR CULVERT: _____ DIAMETER: _____

TYPE OF ENTRANCE: RESIDENTIAL COMMERCIAL AGRICULTURAL

ATTACHED MAPPING OR DRAWINGS

(Please see example of acceptable drawing. Mapping of your location is available at the Township office)

DATED AT CHATSWORTH THIS _____ DAY OF _____, 20 _____

DIRECTOR OF ROADS _____

