

**TOWNSHIP OF CHATSWORTH TENDER FOR 1 (one) - 2024 CURRENT PRODUCTION  
MODEL SIDEWALK MAINTAINER, SNOWBLOWER, PLOW AND SANDER**



1. Tender due on or before 12:00 p.m. local time on Friday, April 5, 2024
2. Bidder must show manufacturer's actual specifications in right hand column.
3. Manufacturer's brochure must be enclosed or forwarded in separate envelope.
4. Sign this tender and the specifications sheet and enclose in a sealed envelope clearly marked sidewalk maintainer. Enclose only one (1) tender per envelope.

Attention: Patty Sinnamon, CAO Clerk  
316837 Highway 6, Chatsworth, ON N0H 1G0  
Or via email to: [patty.sinnamon@chatsworth.ca](mailto:patty.sinnamon@chatsworth.ca)

5. Price quoted to be f.o.b. Township of Chatsworth Garage located at 316837 Highway 6, Chatsworth Ontario and to include standard warranty.
6. Lowest or any tender not necessarily accepted. For all technical inquiries please contact Trevor Fenton, Lead Hand at 519-794-3232 or via email to: [trevor.fenton@chatsworth.ca](mailto:trevor.fenton@chatsworth.ca)
7. MANDATORY. A demonstration will be arranged after receipt of quotations at the convenience of the Public Works staff.

**TENDER FORM**

Price for one unit as per specifications \$ \_\_\_\_\_

H.S.T \$ \_\_\_\_\_

**Total Bid Amount** \$ \_\_\_\_\_

Dated at \_\_\_\_\_ Ontario this \_\_\_\_\_ day  
of \_\_\_\_\_, 2024.

\_\_\_\_\_  
DEALER NAME

\_\_\_\_\_  
ADDRESS

\_\_\_\_\_

\_\_\_\_\_  
WITNESS

\_\_\_\_\_  
AUTHORIZED WITNESS

## **SPECIFICATIONS AND CONFIRMATION**

### **General:**

This specification describes a sidewalk tractor and attachments for sidewalk maintenance within the Village of Chatsworth, within the Township of Chatsworth.

Only the major details of a unit are listed. It is the supplier's responsibility to deliver a fully equipped unit, with compatible components, to provide dependable efficient service. Where minimums are given, the unit must meet or exceed the capacity, size, or performance specified.

Notwithstanding the above approval, the make and models tendered must comply with the following specifications in all aspects. Where specific components are specified, alternate components may be considered for approval by the Township of Chatsworth, prior to tender closing, if they meet the requirements of the specification. All bids are subject to approval of Township of Chatsworth council prior to awarding.

REQUIREMENTS	DETAILS	CONFORM		STATE ACTUAL
		YES	NO	
DESCRIPTION	Rubber tire 4-wheel drive diesel-powered utility tractor			
DIMENSIONS	Overall track width with winter tires 1,270 mm (50")			
	Overall height to top of cab 2,134 mm (84")			
ENGINE	Diesel - Current emission compliant. Minimum 23 HP			
	State horsepower at governed R.P.M.			
COOLING SYSTEM	For radiator protection the rear grill shall be constructed of steel			
	Permanent type anti-freeze to -35°C			
TRANSMISSION	Heavy duty hydrostatic controlled by foot pedal(s)			
	The hydrostatic transmission shall have a neutral start switch			
P.T.O. DRIVE	The P.T.O. system shall be engaged electronically			
	PTO shear bolts shall be easily accessible			
DRIVE	Four wheel drive (selectable)			
PARKING BRAKE	Mechanical parking brake complete with visual icon and a warning message indicating "Parking Brake On" shall appear on the instrument cluster			

REQUIREMENTS	DETAILS	CONFORM		STATE ACTUAL
		YES	NO	
ELECTRICAL	Four (4) adjustable L.E.D headlights			
	LED brake lights with front and rear turn signals			
	Blue Beacon Light			
	LED four-way hazard warning light			
	Battery disconnect switch			
	12V dual horn			
	Backup warning alarm system			
	Interior cab light			
	All switches to incorporate an indicator light to denote "on or active"			
	Dash shall include tachometer, hour meter, speedometer, coolant temperature, engine oil pressure, voltmeter and fuel level			
Equipped with WiFi diagnostics				
CAB	Certified ROPS cab to SAE J0140- C specification			
	Removable door, side panel and sliding or tipping windows			
	All cab, tractor panels and doors shall be steel construction			
	Deluxe high back automotive type operator's seat fully adjustable			
	Seat safety switch shuts down the following if operator leaves seat 1)			

	pto 2) attachment hydraulics 3) engine if tractor left in forward or reverse			
REQUIREMENTS	DETAILS	CONFORM		STATE ACTUAL
		YES	NO	
CAB CONTINUED	Dash shall be located in front of the steering wheel and encased in the lower dash (automotive style)			
	2 speed intermittent windshield wiper and washer – front and rear			
	AM-FM radio with Bluetooth			
	Climate controlled HVAC system with multi- speed fan.			
	HVAC system to provide heat, cooling (A/C)			
	All ducting for HVAC system shall be routed inside cab			
	Inside rear view mirror			
	Left and right rear view mirrors			
	Tilt steering wheel			
	Cruise control			
	Supply 2 sets of keys			
HYDRAULICS	Unit must have sufficient number of couplers to properly operate all the allowable functions for the attachments all at same time.			
	Unit shall be equipped with a low Hydraulic oil warning consisting of alarm and engine shut down			

REQUIREMENTS	DETAILS	CONFORM		STATE
		YES	NO	ACTUAL
HYDRAULICS CONTINUED	Hydraulic couplers shall be colour coded			
	This unit must allow the seamless changing of all attachments currently in operation without modifications.			
COMMERCIAL SNOW BLOWER	Front mounted snowblower. 50inch clearing capability. Minimum 2 Stage. (Can be obtained with Wings)			
SNOW PLOW	54 inch hydraulic angling blade. Must be no more than 50 inch width at full angle.			
SANDER/SPREADER	Rear mounted electric or hydraulic drop style spreader (specify capacity)			
PAINT	Manufacturer's standard			
TRAINING	Operator training upon delivery			
	Mechanical familiarization upon delivery			
	Comprehensive OEM training including components for mechanical staff will be supplied at mutually agreed schedule			
MANUALS	Operator for all equipment One in a plastic waterproof container mounted in cab			
	1 Paper Operators 1 Electronic Operators			

	1 Electronic and Paper Parts 1 Electronic and Paper Repair			
REQUIREMENTS	DETAILS	CONFORM		STATE
		YES	NO	ACTUAL
WARRANTY	State terms in full			
STATE THE FOLLOWING	Manufacturer of unit			
	Model of unit			
PARTS	O.E.M. spare replacement parts must be stocked in inventory by the successful bidder in the Province of Ontario in sufficient quantity to provide adequate product support and ensure timely delivery of spare parts orders and if requested the bidder must be able to provide supporting documentation			
DELIVERY	State delivery date of unit and all accessories to Township building			